Item	Description/Specifications/Use	Example
Safety Shoes	Safety toecap, metal free, antistatic, water-resistant upper, puncture resistant, oil and fuel resistant outsole, heel energy absorption, breathable upper(Men: 39-46, Women: 37-42)	
Helmet	ANSI/ISEA Z89.1-2014 Type I with suspension (4 Point Pinlock, 4 Point Ratchet, 7 Pad)	

Disp. overalls	Non-woven breathable polypyrene white coverall	
Anti cut gloves	Level 5 Cut-resistant gloves (Anticut)	

Hair net	Non-woven disposal hair net	
Shoe cover	disposable fabric shoe covers	

Rubber gloves	Special heavy duty rough surface oil, acid and chemical resistant.	
Dust Masks	KN 95 masks	KN95

Facemask	Surgical face masks	
Cleaning towels	40cmx40cm normal towel	

Brushes	Brushes with 40cm legth holder	
Suspension	Helmet suspension, 4 point pinlock	

Scrapper	Putty knife	
Ear plugs	EN352-2 and SNR 37db noise cancelation	CONTRACTO

Maintenance gloves	Cut-resistant level 3 gloves	ZANGWANG CE BUS SEE 10 213 MADE IN CINSU
Vest	Safety vest with reflective stripes, zipped without pocket	

Knives	Stanley 10-189	STANLEY
Safety glasses	Ansi z87.1 industrial safety glasses	

Buckets	10 liters plastic buckets	
Earmuff	Ear muff, HYX4, For noise levels up to 98 dB	

LOTOTO	Lototo padlocks with keys(A padlock has only one key)	DANGER LOCKED OUT DO NOT REMOVE
Boiler overall	NS 428 coverall	

Warning tape	red and white warning tapes	
Scissors	Heavy duty scissors	